

**JERAGH**  
LIGHTING



# Lamps and Lights for Home & Industrial Applications



**German Engineering  
and Quality Control**





P.O. Box 5688 Safat, Kuwait  
T: +965 25720809  
F: +965 25740710  
e: [info@jeragh-lighting.com](mailto:info@jeragh-lighting.com)  
w: [www.jeragh-lighting.com](http://www.jeragh-lighting.com)





AC 110-240V	Power 50W = 500W
LUM 4500	30,000 h
270° Beam Angle	Product Size 240mm 220mm
CRI ≥80	90% Energy Saving
No Dimmable	0.9 PF Factor

**Flood Light 50W**  
Model No.: JE-FL0050W



## Basic specifications of products

<b>Light boundary dimension</b> 240 x 220. 5x 57. 7mm	<b>Material</b> Lampshade-glass	<b>Lamp color</b> White body + white ring
<b>Lamp net weigh</b> 947g ±10g	<b>Color Temperature</b> 3000K - 6500K	<b>IP Rating</b> IP65
<b>Temperature</b> 0° - 50°		

IP65

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 110-240V Power 50W = 500W

LUM 4500 30,000 h




270°C Beam Angle Product Size 240mm 240mm

CRI ≥80 90% Energy Saving

No Dimmable PF Factor 0.9

## Flood Light 50W

Model No.: JE-FL0050W



## Basic specifications of products

Light boundary dimension 240 x 220.5 x 57.7mm    Material Lampshade-glass    Lamp color White body + white ring  
 Lamp net weigh 947g ±10g    Color Temperature 3000K - 6500K    IP Rating IP65    Temperature 0° - 50°

IP65

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 220-240V	Power 20 W = 180 W
LUM 1800	30,000 h
120° Beam Angle	Product Size 180mm 105mm
CRI ≥80	90% Energy Saving
Dimmable	PF Factor 0.5
φ155 mm	

Downlight SMD 5730  
**Remote Control**  
Model No.: JE-DLQ0820RY



## Basic specifications of products

**Material** Aluminium+Plastic   **PF Factor** 0.5   **Color Temperature (K)** 3000K/4200K/6500K   **Temperature** 0° - 50°

IP44

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





NEW



AC240-110V	Requency 60/50Hz
80 lm/W	30 000 h
≥80	-25 ~ +40 °C
2700 - 6500K	

### Product Features:

- Die-casting Aluminum housing for heat dissipation
- Higher power in limited size
- High transparency diffuser bring high lumen and average lights
- 90% energy saving

Model	Power	Lumen	LED Type	Beam Angle	Ceiling Hole(mm)	Size
AL689	5W	400lm	High Powe COB	45°	Ø100	Ø115x63mm
AL689	10W	800lm	High Power COB	45°	Ø125	Ø135x63mm
AL689	15W	120lm	High Power COB	45°	Ø150	Ø165x67mm
AL689	20W	1600lm	High Power COB	45°	Ø150	Ø165x67mm

IP20

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait




Instagram : @Jeragh.lighting  
 Twitter : @Jeragh\_lighting  
 Whats app: +965 50259190





AC 100-240V	Power 5 W = 40 W
LUM 400 - 450	30,000 h
270° Beam Angle	Product Size 36mm 115mm
CRI ≥80	90% Energy Saving
No Dimmable	0.5 PF Factor

COB LED Candle light,  
Golden Body, Silver Body  
Model No.: JE-CAN-10548



## Basic specifications of products

<b>CCT</b> 2700K - 6500K	<b>BASE</b> E14	<b>NET WEIGHT</b> 40g	<b>Size(mm)</b> Φ36X115	<b>IP Rating</b> IP20
<b>Temperature</b> 10° - 45°				

IP20

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 110240/V	Power 5 W = 50 W
LUM 400 - 450	30,000 h
120°C Beam Angle	Product Size 37mm 127mm
CRI ≥80	90% Energy Saving
No Dimmable	0.5 PF Factor
E14	

**SMD Candle Light**  
Model No.: JE-C30-Can

## Basic specifications of products

Lamp Body Material	ABS	Type	Candle Lights	Color Temperature(CCT)	2700-6500K	Shell Material	Plastic
Lamp Luminous Efficiency(lm/w)	80-95	Temperature	0° - 50°				

IP20

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 220-240V	Power 18 W = 175 W
LUM 1250	30,000 h
120° Beam Angle	Product Size 255mm 21mm
CRI ≥80	90% Energy Saving
No Dimmable	0.8 PF Factor
φ210 mm	

**LED Panel Light  
Inbuilt Driver**  
Model No.: JE-PLQ1718R



## Basic specifications of products

**Material** Aluminium+Plastic    **Color Temperature (K)** 3000K/4200K/6500K    **IP Rating** IP44    **Temperature** 10° - 50°

IP44

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190







 AC 100-240V	 Power 40W = 400W
 LUM 3500	 30,000 h
 270° Beam Angle	 Product Size 60mm 60mm
 CRI ≥80	 90% Energy Saving
 Dimmable	 0.5 PF Factor

## LED Panel Light


Model No.: JE-18W-4FR

## Basic specifications of products


**Material** Aluminium+Plastic    **Color Temperature** 6500K    **Temperature** 10° - 45°

IP20    

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

 Instagram : @Jeragh.lighting

 Facebook : Jeraghlighings

 Whats app : +965 50259190





AC 100-265V Power 9W

LUM 750 - 840 30,000 h

180° Beam Angle Product Size 572mm

CRI ≥80 Energy Saving 90%

No Dimmable PF Factor 0.9

Model No.: JE-TUBE9W

AC 100-265V Power 18 W

LUM 1500-1700 30,000 h

180° Beam Angle Product Size 1172mm

CRI ≥80 Energy Saving 90%

No Dimmable PF Factor 0.9

Model No.: JE-TUBE18W

Aluminum LED T5 Fixture  
Aluminum body and PC  
Diffuser with Constant Current  
Driver Linkable Connection

## Basic specifications of products

Color Temperature(CCT) 3000K 4000K 6500K IP Rating IP20 Temperature 0° - 50°

IP20

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlights  
 Whats app : +965 50259190





AC 100-265V  
 Power 9W

LUM 750 - 850  
 30,000 h

180°  
 Beam Angle  
 Product Size 588mm

AC 100-265V  
 Power 18 W

LUM 1600-1750  
 30,000 h



180°  
 Beam Angle  
 Product Size 1198mm

CRI ≥80  
 90% Energy Saving

No Dimmable  
 PF Factor 0.9

CRI ≥80  
 90% Energy Saving

No Dimmable  
 PF Factor 0.9



Full Glass Led T8 Tube with Constant Current Driver with Corrugated Paper sleeve + Foam + carton packing

Model No.: JE-TUBE9W  
 Model No.: JE-TUBE18W

## Basic specifications of products

Color Temperature(CCT) 3000K 4000K 6500K Material Glass Temperature 0° - 40°

IP20

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 85-220V	Power 12 W = 110 W
LUM 1100	30,000 h
360° Beam Angle	Product Size 35mm 138mm
CRI ≥80	90% Energy Saving
No Dimmable	0.5 PF Factor
E27	G24

**Driver : Constant**  
Current Driver (IC Control)  
Model No.: JE-LA12WG24

## Basic specifications of products


**Color Temperature** 3000K - 6500K **IP Rating** IP20 **Temperature** 20° - 40°

IP20

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 175-265V	Power 8 W = 60 W
LUM 800	30,000 h
360° Beam Angle	Product Size 105mm 60mm
CRI ≥80	90% Energy Saving
No Dimmable	0.5 PF Factor
E27	

**Glass Bulb**  
Model No.: JE-G10245

## Basic specifications of products

Color Temperature 3000 K IP Rating IP20 Temperature 10° - 40°

IP20

Tel. : +965 25 720 809  
Fax : +965 25 740 710  
Mob : +965 50 259 190  
E-mail : info@jeragh-lighting.com  
website : www.jeragh-lighting.com  
P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190





AC 110-240V	Power 7W = 70W
LUM 550-600	30,000 h
120° Beam Angle	Product Size 50mm * 83mm
CRI ≥80	90% Energy Saving
No Dimmable	PF Factor 0.5

### Spot Light

Model No.: JR-7WCOBGU10

## Basic specifications of products


<b>Light boundary dimension</b>	50 X 83mm	<b>Lamp color</b>	Silver color body	<b>Base Type</b>	E27, E14, GU10, MR16	<b>IP Rating</b>	IP22
<b>Lamp net weigh</b>	947g ±10g	<b>Color Temperature</b>	3000K - 6500K	<b>Temperature</b>	0° - 50°	<b>Material</b>	Aluminum

IP22

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

Instagram : @Jeragh.lighting  
 Facebook : Jeraghlighings  
 Whats app : +965 50259190






## Wheeler 1500W

- 2 X 65Wp solar panel
- 12 Vdc cigarette lighter socket
- 12 Vdc DC Jack output to connect LED light
- 1 X 5Amp AC/DC adaptor
- Portable power with 100Ah built-in ECOTANK for 1200Wh available
- Large LCD Display for easy monitor of state of charge of the battery
- USB to charge the phone, tablet, and smart phones
- 2 X 230 Vac socket with 1500 WAC Pure sine wave inverter continuously available

IP20    

Tel. : +965 25 720 809  
 Fax : +965 25 740 710  
 Mob : +965 50 259 190  
 E-mail : info@jeragh-lighting.com  
 website : www.jeragh-lighting.com  
 P.O. Box 5688 Safat, Kuwait

 Instagram : @Jeragh.lighting  
 Twitter : @Jeragh\_lighting  
 Whats app: +965 50259190

